

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:32 pm

PWS ID: UTAH21004 **Name:** BROOKLYN TAPLINE CO INC

Legal Contact: BROOKLYN TAPLINE CO INC **Rating:** Approved
BRENT WHITE **Rating Date:** 02/15/2005

Address: PO BOX 47 **Activity Status:** Active
ELSINORE, UT 84724

Phone Number:

City Served (Area):

County: SEVIER COUNTY

System Type: Community **Last Inv Update:** 06/16/2009 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 11/17/2010 **Total Dsgn Cap:**

Population: 155 **Surveyor:** GARY KOBZEFF **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Monthly	07/01/2011		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

	Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH21004 DISTRIBUTION SYSTEM				Activity Status: A Sample Label: UTAH21004 DS001	
	Lead & Copper	5	Routine	3 Years		